


AN ITALIAN POP BEAD.



**Opustone**<sup>®</sup>  
STONE | TILE CONCEPTS




# CHICCO

THE CHICCO COLLECTION COMES  
FROM AN ALL-ITALIAN STORY:  
THE WROUGHT VENETIAN.


A MATERIAL BELONGING TO EVERYONE,  
PRESENT IN SOCIETY IN A TRANSVERSAL WAY.

FROM OFF-SITE RESIDENTIAL HOMES TO  
ENTRANCE HALLS OF BOURGEOIS BUILDINGS IN  
MILAN, FROM ELEMENTARY SCHOOL FLOORS TO  
THE SIDEWALKS OF BOLOGNA'S PORTICOES.  
GREY, GREEN, MUSTARD, PINK AND CACAO.  
FIVE COLORS, THREE DESIGNS ON MESH.




Floor Chicco Onda Verde-Cacao 11"x14"






Floor Chicco Regolo V/C/G 14"x14"






Chicco Regolo G/V/C 14"x14"






Floor Chicco Verde 24"x48"






Chicco Quadra Dark 13"x13"






Floor Chicco Quadra Light 13"x13"






**Floor** Chicco Onda Rosa-Greige 11"x14" / Chicco Rosa 24"x48"






Chicco Greige 24"x48" / Chicco Regolo R/G/S 14"x14"






Chicco Senape 24"x48"





Chicco Senape / Chicco Rosa 12"x12"






## CHICCO

TECHNOLOGY HD DIGITAL COLORED BODY PORCELAIN


FINISH NATURAL RECTIFIED

THICKNESS 9 MM


## CHICCO COLORS




CACAO




VERDE




GREIGE



ROSA



SENAPE



## CHICCO SIZES



24"X48"




24"X24"




12"X12"


## CHICCO PATTERNS




MOSAIC REGOLO V/C/G  
14"X14"




MOSAIC REGOLO R/G/S  
14"X14"



MOSAIC REGOLO G/V/C  
14"X14"



MOSAIC QUADRA LIGHT  
13"X13"




MOSAIC QUADRA DARK  
13"X13"




MOSAIC ONDA V/C  
11"X14"



MOSAIC ONDA R/G  
11"X14"



MOSAIC ONDA S/G  
11"X14"



## CHICCO TECHNICAL FEATURES

STANDARD	FEATURES	REQUIRED VALUE	CHICCO
<b>ISO 10545/2</b>	SIZE		
	length and width	$\pm 0,6 \% / \pm 2 \text{ mm}$	$\pm 0,6 \% / \pm 2 \text{ mm}$
	thickness	$\pm 5 \% \pm 0,5 \text{ mm}$	$\pm 5 \% \pm 0,5 \text{ mm}$
	straightness of sides	$\pm 0,5 \% \pm 1,5 \text{ mm}$	$\pm 0,5 \% \pm 1,5 \text{ mm}$
	wedging	$\pm 0,5 \% \pm 2 \text{ mm}$	$\pm 0,5 \% \pm 2 \text{ mm}$
	flatness	$\pm 0,5 \% \pm 2 \text{ mm}$	$\pm 0,5 \% \pm 2 \text{ mm}$
<b>ISO 10545/3</b>	water absorption	$\leq 0,5 \%$	0,3 %
<b>ASTM C373</b>	water absorption	$\leq 0,5 \%$	meets the standards
<b>ISO 10545/9</b>	thermal shock	no visible alteration	resistant
<b>ASTM C484</b>	thermal shock	unaffected	unaffected
<b>ISO 10545/12</b>	frost/freeze resistance	no visible alteration	resistant
<b>ASTM C1026</b>	frost/freeze resistance	unaffected	unaffected
<b>ISO 10545/13</b>	chemical resistance	no visible alteration	LA HA
<b>ASTM C650</b>	chemical resistance		A
<b>ISO 10545/4</b>	breaking strength	$\geq 35 \text{ N/ mm}^2$	48 N/ mm <sup>2</sup>
<b>ISO 10545/7</b>	visible abrasion resistance	CLASS I-V	PEI V GREIGE - ROSA PEI IV SENAPE - VERDE PEI III CACAO
<b>ASTM C1027</b>	visible abrasion resistance		CLASS IV
<b>ISO 10545/14</b>	stain resistance	$\geq \text{CLASSE 3}$	5
<b>ASTM C1378</b>	stain resistance	$\geq \text{CLASSE 3}$	5
<b>DIN EN 16165</b>	anti-slip		R10
<b>DCOF</b>	dynamic coefficient of friction	$> 0,42$	0,56
<b>ANSI A137.1</b>	aesthetic classes	V0-V4	V1

